

EXSPEED™ References

1. Alcaraz, P.E., Palao, J.M., Elvira, J.L.L. Determining the optimal load for resisted sprint training with sled towing. *Journal of Strength and Conditioning Research*. 23(2):480-85. 2009.
2. Asci, A., Acikada, C. Power production among different sports with similar maximum strength. *Journal of Strength and Conditioning Research*. 21(1):10-16. 2007.
3. Baechle, T.R. Essentials of Strength and Conditioning. Champaign, IL: Human Kinetics, 315, 403-415, 1994.
4. Baron, B., Deruelle, R., Moullan, F., Dalleau, G., Verkindt, C., Noakes, T.D. The eccentric muscle loading influences the pacing strategies during repeated downhill spring intervals. *European Journal of Applied Physiology*. 105:749-757. 2009.
5. Baur, H., Hirschmuller, A., Muller, S., Gollhofer, A., Mayer, F. Muscular activity in treadmill and overground running. *Isokinetics and Exercise Science*. 15:165-71. 2007.
6. Blazeovich, A.J. Optimizing hip musculature for greater sprint running speed. *Strength and Conditioning Journal*. 22(2):22-27. April 2000.
7. Brooks, G.A. Lactate: Link between glycolytic and oxidative metabolism. *Sports Medicine*. 37(4-5):341-43. 2007.
8. Coaches Roundtable. Speed development. *NSCA Journal*. 12-73. Jan 1984.
9. Corn, R.J., Knudson D. Effect of elastic-cord towing on the kinematics of the acceleration phase of sprinting. *The Journal of Strength and Conditioning Research*. 17(1):72-75.
10. Crone, C., Hultborn, H., Jespersen, B., Nielsen, J. Reciprocal Ia inhibition between ankle flexors and extensors in man. *Journal of Physiology*. 389:163-185. 1987.
11. Delecluse, C. Influence of strength training on sprint running performance: Current findings and implications for training. *Sports Medicine*. 24(3):147-156. Sep 1997.
12. Dutto, D.J., Braun, W.A. DOMS-Associated changes in ankle and knee joint dynamics during running. *Medicine & Science in Sports & Exercise*. 36(4):560-66. 2004.
13. Ebben, W.P., Davies, J.A., Clewien, R.W. Effect of the degree of hill slope on acute downhill running velocity and acceleration. *Journal of Strength and Conditioning Research*. 22(3):898-902. 2008.

14. Elliot, B.C., Blanksby, B.A. The synchronization of muscle activity and body segment movements during a running cycle. *Medicine & Science in Sports*. 11(4):322-27. 1979.
15. Franz, J.R., Paylo, K.W., Dicharry, J., Riley, P.O., Kerrigan, D.C. Changes in the coordination of hip and pelvis kinematics with mode of locomotion. *Gait & Posture*. 29(3):494-498. April 2009.
16. Freund, H., Lonsdorfer, S., Oyono-Enguelle, S., Lonsdorfer, A., Bogui, P. Lactate exchange and removal abilities in sickle cell patients and in untrained and trained healthy humans. *Journal of Applied Physiology*. 73:2580-87. 1992.
17. Fujitsuka, N., Yamamoto, T., Ohkuwa, T., Saito, M., Miyamura, M. Peak blood lactate after short periods of maximal treadmill running. *European Journal of Applied Physiology and Occupational Physiology*. 48(3): 289-96. 1982.
18. Gottschall, J.S., Kram, R. Ground reaction forces during downhill and uphill running. *Journal of Biomechanics*. 38(3):445-452, Mar 2005.
19. Hammett, J.B., Hey, W.T. Neuromuscular adaptation to short-term (4 weeks) ballistic training in trained high school athletes. *Journal of Strength and Conditioning Research*. 17(3):556-560. 2003.
20. Hoskins, W.T., Pollard, H.P. Successful management of hamstring injuries in Australian rules footballers: two case reports. *Chiropractic & Osteopathy*. 13(4): 2005.
21. Hultman, E., Spriet, L.L., Soderlund, K. Biochemistry of muscle fatigue. *Biomedica Biochimica Acta*. 45(1-2):S97-106. 1986.
22. Itoh, H., Ohkuwa, T., Yamazaki, Y., Miyamura, M. Human blood lactate and ammonia levels after supramaximal uphill and downhill running. *Nagoya Journal of Medical Science*. 59(3): 135-142. Dec 1996.
23. Jacobs, R., Van Ingen Schenau, G.J. Intermuscular coordination in a sprint push-off. *Journal of Biomechanics*. 25(9):953-65. Sep 1995.
24. Katz, R., Penicaud, A., Rossi, A. Reciprocal Ia inhibition between elbow flexors and extensors in the human. *Journal of Physiology*. 437:269-286. 1991.
25. Kraemer, W.J., Ratamess, N.A., Volek, J.S., Mazzetti, S.A., Gomez, A.L. The effect of the Meridian shoe on vertical jump and sprint performances following short-term combined plyometrics/sprint and resistance training. *Journal of Strength and Conditioning Research*. 14(2):228-238. 2000.
26. Kristensen, G.O., Van Den Tillaar, R., Ettema, G.J.C. Velocity Specificity in early-phase sprint training. *Journal of Strength and Conditioning Research*. 20(4):833-37. 2006.

27. Lemke, K., Cornwall, M.W., McPoil, T.G., Schuit, D. Comparison of rearfoot motion in overground versus treadmill walking. *Journal of the American Podiatric Medical Association*. 85(5):243-48. 1995.
28. Leroux, A. Postural adaptation to walking on inclined surfaces: I. Normal strategies. *Gait & Posture*. 15(1):64-74. February 2002.
29. Lockie, R.G., Murphy, A.J., Spinks, C.D. Effects of resisted sled towing on sprint mechanics in field-sport athletes. *Journal of Strength and Conditioning Research*. 17(4):760-67. 2003.
30. Mann, R.A. Biomechanics of walking, running, and sprinting. *American Journal of Sports Medicine*. 8:345-350. 1980.
31. McNeely, E. Maintaining speed late in the game: Proceedings of the NSCA National Conference and Exhibition, Las Vegas, NV, 6-9 July 2005. 583-602.
32. Mero, A., Komi, P.V. Electromyographic activity in sprinting at speeds ranging from sub-maximal to supra-maximal. *Medicine & Science in Sports & Exercise*. 19(3):266-74. June 1987.
33. Mero, A., Komi, P.V., Gregor, R.J. Biomechanics of spring running. A review. *Sports Medicine*. 13(6):376-92. June 1992.
34. Monteiro, A.G., Aoki, M.S., Evangelista, A.L., Alveno, D.A., Monteiro, G.A., Picxarro, I.D.C., Ugrinowitsch, C. Nonlinear periodization maximizes strength gains in split resistance training routines. *Journal of Strength and Conditioning Research*. 00(0):1-6. 2009.
35. Montgomery III, W.H., Pink, M., Perry, J. Electromyographic analysis of hip and knee musculature during running. *The American Journal of Sports Medicine*. 22(2):272-78. March 1994.
36. Moritani, T., deVries, H.A. Neural factors versus hypertrophy in the time course of muscle strength gain. *American Journal of Physical Medicine*. 58(3):115-130. Jun 1979.
37. Myer, G.D., Ford, K.R., Brent, J.L., Divine, J.G., Hewett, T.E. Predictors of Sprint Start Speed: The effects of resistive ground-based vs. inclined treadmill training. *Journal of Strength and Conditioning Research*. 21(3): 831-36. 207.
38. Nigg, B.M., DeBoer, R.W., Fisher, V. A kinematic comparison of overground and treadmill running. *Medicine & Science in Sports & Exercise*. 27(1):98-105. January 1995.
39. Novacheck, TF. The biomechanics of running. *Gait and Posture*. 7:77-95. 1998.

40. Nummela, A., Andersson, N., Hakkinen, K., Rusko, H., Effect of inclination on the Results of the maximal anaerobic running test. *International Journal of Sports Medicine*. 17(2):103-108. Jul 1996.
41. Nummela, A., Keranen, T., Mikkelsen, L.O. Factors related to top running speed and economy. *International Journal of Sports Medicine*. 10:1055-61. 2007.
42. Olesen, H.L. Accumulated oxygen deficit increases with inclination of uphill running. *Journal of Applied Physiology*. 73(3):1130-1134. 1992.
43. Oyono-Enguelle, S., Marbach, J., Heitz, A., Ott, C., Gartner, M., Pape, A., Vollmer, J.C., Freund, H. Lactate removal ability and graded exercise in humans. *Journal of Applied Physiology*. 68:905-11. 1990.
44. Paradisis, G.P., Cooke, C.B. Kinematic and postural characteristics of sprint running on sloping surfaces. *Journal of Sports Sciences*. 19(2):149-59. February 2001.
45. Paradisis, G.P., Cooke, C.B. The effects of sprint running training on sloping surfaces. *Journal of Strength and Conditioning Research*. 20(4):767-77. 2006.
46. Parvataneni, K., Ploeg, L., Olney, S.J., Brouwer, B. Kinematic, kinetic and metabolic parameters of treadmill versus overground walking in healthy older adults. *Clinical Biomechanics*. 24(1):95-100. January 2009.
47. Perez, M.A., Field-Fote, E.C. Impaired posture-dependent modulation of disynaptic reciprocal Ia inhibition in individuals with incomplete spinal cord injury. *Neuroscience Letters*. 341(3):225-228. May 2003.
48. Pyne, D.B., Baker, M.S., Telford R.D., Weidemann M.J. A treadmill protocol to investigate independently the metabolic and mechanical stress of exercise. *Australian Journal of Science and Medicine in Sport*. 29(3):77-82. Sep 1997.
49. Rhea, M.R., Lavinge, D.M., Robbins, P., Esteve-Lanao, J., Hultgren, T.L. Metabolic conditioning among soccer players. *Journal of Strength and Conditioning Research*. 23(3):800-806. 2009.
50. Roberts, T.J., Belliveau, R.A. Sources of mechanical power for uphill running in humans. *Journal of Experimental Biology*. 208:1963-70. 2005.
51. Ross, R.E., Ratamess, N.A., Hoffman, J.R., Faigenbaum, A.D., Kang, J., Chilakos, A. The effects of treadmill sprint training and resistance training on maximal running velocity and power. *Journal of Strength and Conditioning Research*. 23(2):385-394. 2009.
52. Sahlin, K. Muscle fatigue and lactic acid accumulation. *Acta Physiologica Scandinavica Supplementum*. 556:83-91. 1986.

53. Sahlin, K., Ren, J.M. Relationship of contraction capacity to metabolic changes during recovery from a fatiguing contraction. *Journal of Applied Physiology*. 67:648-54. 1989.
54. Schache, A.G., Blanch, P.D., Murphy, A.T. Relation of anterior pelvic tilt during running to clinical and kinematic measures of hip extension. *British Journal of Sports Medicine*. 34:279-283. 2000.
55. Schache, A.G., Blanch, P.D., Rath, D.A., Wrigley, T.V., Starr, R., Bennell, K.L. A comparison of overground and treadmill running for measuring the three-dimensional kinematics of the lumbo-pelvic-hip complex. *Clinical Biomechanics*. 16(8):667-80. October 2001.
56. Slawinski, J., Dorel, S., Hug, F., Couturier, A., Fournel, V., Morin, J., Hanon, C. Elite long sprint running: A comparison between incline and level training sessions. *Medicine & Science in Sports & Exercise*. 40(6):1157-64. 2008.
57. Sloniger, M.A., Cureton, K.J., Prior, B.M., Evans, E.M. Anaerobic capacity and muscle activation during horizontal and uphill running. *Journal of Applied Physiology*. 83:2073-2079. 1997.
58. Sloniger, M.A., Cureton, K.J., Prior, B.M., Evans, E.M. Lower extremity muscle activation during horizontal and uphill running. *Journal of Applied Physiology*. 83(6):2073-79. 1997.
59. Smith, LL. Causes of delayed onset muscle soreness and the impact on athletic performance: A Review. *Journal of Applied Sport Science Research*. 6(3):135-141. 1992.
60. Spinks, C.D., Murphy, A.J., Spinks, W.L., Lockie, R.G. The effects of resisted sprint training on acceleration performance and kinematics in soccer, rugby union, and Australian football players. *Journal of Strength and Conditioning Research*. 21(1):77-85. 2007.
61. Stegmann, H., Kindermann, W., Schnabel, A. Lactate kinetics and individual anaerobic threshold. *International Journal of Sports Medicine*. 2(3):160-5. August 1981.
62. Strojnik, V., Komi, P.V. Neuromuscular fatigue after maximal stretch-shortening cycle exercise. *Journal of Applied Physiology*. 84(1):344-50. 1998.
63. Swanson, S.C., Caldwell, G.E. An integrated biomechanical analysis of high speed incline and level treadmill running. *Medicine and Science in Sports and Exercise*. 32(6):1146-55. 2000.

64. Thelen, D.G., Chumanov, E.S., Hoerth, D.M., Best, T.M., Swanson, S.C., Li, L., Young, M., Heiderscheit, B.C. Hamstring muscle kinematics during treadmill sprinting. *Medicine & Science in Sports & Exercise*. 37(1):108-14. 2005.
65. Thomas, C., Perrey, S., Lambert, K., Hugon, G., Mornet, D., Mercier, J. Monocarboxylate transporters, blood lactate removal after supramaximal exercise, and fatigue indexes in humans. *Journal of Applied Physiology*. 98:804-9. 2005.
66. Thomas, C., Sirvent, P., Perrey, S., Raynaud, E., Mercier, J. Relationship between maximal muscle oxidative capacity and blood lactate removal after supramaximal exercise and fatigue indexes in humans. *Journal of Applied Physiology*. 97:2132-38. 2004.
67. Tziortzis, S. Effects of training methods in sprinting performance. *Doctoral dissertation. University of Athens, Dept. of Physical Education and Sports Science, Athens, Greece*. 1991.
68. Vogt, L., Pfeifer, K., Banzer, W. Comparison of angular lumbar spine and pelvis kinematics during treadmill and overground locomotion. *Clinical Biomechanics*. 17(2):162-65. February 2002.
69. Wank, V., Frick, U., Schmidtbleicher, D. Kinematics and electromyography of lower limb muscles in overground and treadmill running. *International Journal of Sports Medicine*. 19(7):455-61. October 1998.
70. Weyand, P.G., Sternlight, D.B., Bellizzi, M.J., Wright, S. Faster top running speeds are achieved with greater ground forces not more rapid leg movements. *Journal of Applied Physiology*. 89:1991-1999. 2000.
71. Yokozawa, T., Fujii, N., Ae, M. Muscle activities of the lower limb during level and uphill running. *Journal of Biomechanics*. 40(15):3467-75. 2007.